

# Amplified and Temperature Compensated Semiconductor Pressure Sensors



## Features

Higher accuracy on request

- High accuracy  $\pm 1.5\%$  FS ( $\pm 1.0\%$  FS,  $\pm 0.5\%$  FS)
- Supply voltage 3.0, 3.3 & 5.0 Vdc
- Analog, non-digital analog & digital output
- Low power consumption 2 mA Max (AP2, 3.3Vdc)
- Custom modifications to pressure range and outputs available
- Good long-term stability and performance
- RoHS compliant

Very high accuracy over the entire compensated temperature range & no Best Fit Straight Line (BFSL) calculation!


## Medical Applications

Very low offset drift over years


- Non-invasive blood pressure monitors (Special variants of AP3/AG3, please inquire)
- NPWT suction pumps
- DVT pneumatic pumps
- Oxygen concentrators
- Medical air beds
- Blood biochemical analysis machines
- Other pneumatic controls
- Other portable medical devices

Widely compensated temperature range of 85°C


## Packages Lineup



**AP Series**  
DIP, Smooth port



**APB2 Series**  
DIP, Barbed port




**AG Series**  
SMT, 3 & 6 mm port

## Specifications

Item	Unit	Model								
		AP2 / AG2 / APB2			AP3 / AG3			AP4 / AG4		
Type of Output		Analog Output			Analog Output (Non-digitally Corrected) Single Point Pressure Threshold Detection			Digital Output (I <sup>2</sup> C™)		
Supply Voltage	Vdc	3	3.3	5	3	3.3	5	3	3.3	5
Maximum Supply Current	mA	2	2	3	5	5	6	3.5	3.5	4.5
Accuracy	%FS	$\pm 2$	$\pm 1.5$	$\pm 1.5$	$\pm 2$	$\pm 1.5$	$\pm 1.5$	$\pm 1.5$	$\pm 1.5$	$\pm 1.5$
Operating Temperature	deg C	-40 ... +125			-40 ... +105			-40 ... +125		
Compensated Temperature	deg C	0 ... +85			0 ... +60			0 ... +85		
Pressure Media		Non-corrosive gases (Air and other dry gases)								

Other media possible ask Pewatron

## Pressure Range




Customer specific pressure ranges on request

# Low Pressure & Digital Output Semiconductor Pressure Sensors

New



## Package



**AL4**  
SOIC-14  
Dual barbed ports

## Features

- Digital output
- High accuracy  $\pm 1.5$  %FS
- Supply voltage 3.0, 3.3 & 5.0 Vdc
- High load pressure +100kPa
- Custom modifications to pressure range and outputs available
- RoHS compliant

## Medical Applications

- Sleep apnea prevention devices
- CPAP machines
- Oxygen concentrators and conserving devices
- Ventilators
- Respiratory devices
- Other portable medical devices

## Specifications

Item	Unit	Model AL4		
Type of Output		Digital Output (I <sup>2</sup> C™)		
Supply Voltage	Vdc	3	3.3	5
Maximum Supply Current	mA	3.5	3.5	4.5
Accuracy	%FS	$\pm 1.5$	$\pm 1.5$	$\pm 1.5$
Operating Temperature	deg C	-40 ... +85		
Compensated Temperature	deg C	0 ... +50		
Pressure Media		Non-corrosive gases (Air and other dry gases)		

Other media possible  
ask Pewartron

## Pressure Range

Pressure Code	Abs Max Load Pressure (kPa)	Measurement Pressure Range										
		-10	-7	-4	-2	-1	0	1	2	4	7	10 kPa
		(-100)	(-70)	(-40)	(-20)	(-10)	(10)	(20)	(40)	(70)	(100) cmH <sub>2</sub> O	
002KG	+100											
004KG	+100											
007KG	+100											
010KG	+100											
002KV	+100											
004KV	+100											
007KV	+100											
010KV	+100											
001KW	+100											

Customer specific pressure ranges on request

## Who is Fujikura?



Head Office in Tokyo

The history of Fujikura began in 1885, when Zenpachi Fujikura, the founder of the Company, produced copper wires for electronic generators through much trial and error. At the time, copper wires represented a leading-edge technology. Since the early days, Fujikura

has been expanding its business in a wide spectrum of fields, including IT, electronics and electric components.

Pressure sensors are one of product lines in Fujikura's electronics business. We have supplied pressure sensors since 1982. Our products are used in various consumer, industrial and medical applications globally. To help you deliver a successful project, We are willing to:

- Listen and support the resolution of your technical challenges.
- Provide strong technical support, samples and testing.
- Supply modified & customized products to meet your most demanding needs.



**Schweiz**  
Pewartron AG  
Thurgauerstrasse 66  
CH - 8052 Zürich  
Tel. +41 44 877 35 00

**Deutschland**  
Pewartron AG  
Neumarkter Straße 86a  
DE - 81673 München  
Tel. +49 89 260 38 47

Headquarter Switzerland:  
Pewatron AG  
Thurgauerstrasse 66  
CH-8050 Zurich  
Phone +41 44 877 35 00  
info@pewatron.com

Office Germany:  
Pewatron Deutschland GmbH  
Edisonstraße 16  
D-85716 Unterschleißheim  
Phone +49 89 374 288 87 00  
info.de@pewatron.com



**PEWATRON**  
SENSORS · POWER SOLUTIONS

## We are here for you. Addresses and Contacts.

---

### Sales Germany & Austria

#### Geometrical sensors Other products

Kurt Stritzelberger  
Phone +49 89 374 288 87 22  
kurt.stritzelberger@pewatron.com

#### Pressure sensors Other products

Gerhard Vetter  
Phone +49 89 374 288 87 26  
gerhard.vetter@pewatron.com

#### Gas sensors and modules

Peter Felder  
Phone +41 44 877 35 05  
peter.felder@pewatron.com

---

### Sales Switzerland & Liechtenstein

Postcode 3000 – 9999

Basil Frei  
Phone +41 44 877 35 18  
basil.frei@pewatron.com

Postcode 1000 – 2999

Christian Mohrenstecher  
Phone +41 76 444 57 93  
christian.mohrenstecher@pewatron.com

### Sales International Key Accounts

Peter Felder  
Phone +41 44 877 35 05  
peter.felder@pewatron.com

---

### Sales Other Countries / Product Management

#### Pressure Sensors Load Cells

Philipp Kistler  
Phone +41 44 877 35 03  
philipp.kistler@pewatron.com

#### Gas sensors Gas sensor modules

Dr. Thomas Clausen  
Phone +41 44 877 35 13  
thomas.clausen@pewatron.com

#### Flow / Level / Medical products

Dr. Adriano Pittarelli  
Phone +49 89 374 288 87 67  
adriano.pittarelli@pewatron.com

#### Power supplies

Sebastiano Leggio  
Phone +41 44 877 35 06  
sebastiano.leggio@pewatron.com

#### Linear position sensors Angle sensors

Eric Letsch  
Phone +41 44 877 35 14  
eric.letsch@pewatron.com

#### Drive technology CH Postcode 5000 – 9999 / DE

Roman Homa  
Phone +41 76 444 00 86  
roman.homa@pewatron.com

#### Accelerometers Sensor elements

Christoph Kleye  
Phone +49 89 374 288 87 61  
christoph.kleye@pewatron.com

#### Current sensors / Power solutions & Turkey

Osman Coban  
Phone +49 89 374 288 87 65  
osman.coban@pewatron.com

#### Drive technology CH Postcode 1000 – 4999 / AT / IT / FR

Christian Mohrenstecher  
Phone +41 76 444 57 93  
christian.mohrenstecher@pewatron.com

Harald Thomas  
Phone +49 89 374 288 87 23  
harald.thomas@pewatron.com